

**CHARACTERIZATION OF THE DECAY STRUCTURE  
FOR THE SYMMETRIC HYPERBOLIC SYSTEM WITH RELAXATION**

---

ABSTRACT. In this talk, we discuss the dissipative structure for a general linear system. If the relaxation or viscosity terms of the system has symmetric property, Umeda–Kawashima–Shizuta(1984) and Shizuta–Kawashima(1985) introduced a stability condition which induces the decay estimate for the solution of Cauchy problem. However, there are some complicated physical models which possess a non-symmetric terms and we can not apply this stability condition to these models. Under this situation, our purpose of this talk is to extend the stability condition for complicated models and get the quantitative decay estimate. Furthermore, we shall explain the new dissipative structure by using the several concrete examples.

---

**Authors.**

- (1) YOSHIHIRO UEDA. *Faculty of Maritime Sciences, Kobe University, Kobe 658-0022, Japan*  
**E-mail:** [ueda@maritime.kobe-u.ac.jp](mailto:ueda@maritime.kobe-u.ac.jp)

**References.**

- (1) Y. Shizuta and S. Kawashima; *Systems of equations of hyperbolic-parabolic type with applications to the discrete Boltzmann equation*, Hokkaido Math. J., **14** (1985), 249–275.  
(2) T. Umeda, S. Kawashima and Y. Shizuta; *On the decay of solutions to the linearized equations of electro-magneto-fluid dynamics*, Japan J. Appl. Math., **1** (1984), 435–457.